

ACE

PUMPS



HYDRAULIC DRIVEN CENTRIFUGAL PUMPS

Model FMC-75-HYD-204 FMC-75-HYD-206 FMC-75SP-HYD-204 FMC-75SP-HYD-206	FMC-HYD-202 FMC-HYD-203 FMC-HYD-204	FMC-HYD-206 FMC-HYD-210 FMC-HYD-310	FMC-150-HYD-206	FMC-150F-HYD-206 FMC-150FS-HYD-206 FMC-155FS-HYD-206 FMC-150F-HYD-304	FMC-150SP-HYD-206	FMC-200-HYD-210 FMC-200-HYD-304 FMC-200SS-HYD-304 FMC-200-HYD-310	FMCSC-205F-HYD-304 FMCSC-205FS-HYD-304	FMC-650-HYD	FMC-650F-HYD FMC-650FS-HYD	FMCWS-650F-HYD FMCWS-650FS-HYD	FMC-750F-HYD-M22 FMC-750F-HYD-M25 FMC-755FS-HYD-M22 FMC-755FS-HYD-M25	FMC-855F-HYD
Pump Options SC	SC CI BSP	SC CI PI SI BSP	SC CI PI SI	SC CI PI SI	SC CI PI SI	SC CI SI	CI SI	SC SI BSP	SC SI	SI	SI	
Max Flow 27 GPM	92 GPM	135 GPM	145 GPM / 155 GPM for 304	130 GPM	200 GPM	240 GPM	140 GPM	170 GPM	170 GPM	290 GPM	345 GPM	
Max Pressure 100 PSI	100 PSI	120 PSI	120 PSI / 130 PSI for 304	120 PSI	120 PSI / 80 PSI for 210	120 PSI	160 PSI	160 PSI	160 PSI	150 PSI	150 PSI	

MAX SERIES HYDRAULIC DRIVEN CENTRIFUGAL PUMPS

PTO DRIVEN CENTRIFUGAL PUMPS

GASOLINE ENGINE DRIVEN CENTRIFUGAL PUMPS

BELT DRIVEN CENTRIFUGAL PUMPS


Model PTOC-600 PTOC-1000	PTOC-150-600 PTOC-150F-600 PTOC-150-1000 PTOC-150F-1000	GE-75 GE-75SP	GE-85 GE-85SP	GE-100-A	GE-650 GE-660	GE-800 GE-860	GE-1600	FMC FMC-MAG-D	FMC-150 FMC-150-MAG-D	FMC-150F FMC-150FS FMC-150F-MAG-D	
Pump Options SC CI BSP	SC CI PI SI BSP	SC	SC		SC CI (GE-660 Only)	SC	SC	SC CI BSP	SC CI PI SI BSP	SC CI PI SI	
Max Flow 65 GPM	100 GPM	25 GPM	24 GPM	50 GPM	110 GPM	140 GPM	280 GPM	70 GPM	130 GPM	130 GPM	
Max Pressure 80 PSI	110 PSI	70 PSI	65 PSI	50 PSI	120 PSI	140 PSI	120 PSI	170 PSI	130 PSI	130 PSI	

BELT DRIVEN CENTRIFUGAL PUMPS


Model FMC-150SP FMC-150SP-MAG-D	FMC-650 FMC-650F FMC-650FS	FMC-650-MAG-D FMC-650F-MAG-D FMC-650FS-MAG-D	FMCWS-650F FMCWS-650FS FMCWS-650F-MAG-D FMCWS-650FS-MAG-D	FMC-200 FMC-200-MAG-D FMC-200SS-MAG-DX	FMC-CW-75	FMC-CW FMC-CW-MAG-D	FMC-CW-150 FMC-CW-150-MAG-D FMC-CW-150-MAG-DX3	FMC-CW-650 FMC-CW-650-MAG-D FMCWS-CW-650 FMCWS-CW-650-MAG-D	FMC-CW-200 FMC-CW-200-MAG-D FMC-CW-200-X	FMC-CW-800 FMC-CW-800-MAG-D
Pump Options SC CI SI PI	SC SI	SI	SI	SC CI SI	SC	SC CI BSP	SC CI BSP	SC SI BSP	SC CI BSP	SC
Max Flow 130 GPM	140 GPM	140 GPM	140 GPM	200 GPM	27 GPM	70 GPM	80 GPM	140 GPM	200 GPM	180 GPM
Max Pressure 130 PSI	160 PSI	160 PSI	160 PSI	120 PSI	100 PSI	170 PSI	120 PSI	160 PSI	120 PSI	170 PSI

PUMP OPTIONS KEY

- Severe Duty Silicon Carbide Shaft Seal
- Cast Iron Impeller
- Polypropylene Impeller
- 316 Stainless Steel Impeller
- British Standard Pipe Thread



**ANNOVI
REVERBERI
GROUP**



ACE PUMP CORPORATION
P.O. Box 13187
1650 Channel Avenue
Memphis, TN 38113 U.S.A.
☎ +1-901-948-8514
☎ +1-901-774-6147
🌐 www.AcePumps.com
✉ sales@acepumps.com